

Contents

Volume 59

Rectal epithelial proliferation in persons post sporadic colorectal neoplasia P. Rozen, Z. Fireman, N. Fine, A. Chetrit and G. Zajicek (Tel Aviv and Jerusalem, Israel)	1–8
Modifying role of <i>Phyllanthus embilica</i> and ascorbic acid against nickel clastogenicity in mice H. Dhir, K. Agarwal, A. Sharma and G. Talukder (Calcutta, India)	9–18
Elevated serum level of glycolipid sulfotransferase in patients with hepatocellular carcinoma S. Gasa, M.-T. Casl, T. Jin, K. Kamio, Y. Uehara, T. Miyazaki and A. Makita (Sapporo, Japan)	19–24
Antitumor effects of vitamin A against Shope carcinoma cells T. Isono and A. Seto (Shiga, Japan)	25–29
A distinct kinase modulates the expression of IFN-inducible genes in human breast cancer cells R.K. Tiwari and M.P. Osborne (New York, NY)	31–36
Identification of genes that exhibit increased expression after flat reversion of NIH/3T3 cells transformed by human activated Ha-ras oncogene L. Müllauer, H. Suzuki, H. Fujita, M. Katabami and N. Kuzumaki (Sapporo, Japan)	37–43
Effects of bombesin on the development of <i>N</i> -nitrosobis(2-oxopropyl)amine-induced pancreatic lesions in hamsters M. Meijers, A. van Garderen-Hoetmer, C.B.H.W. Lamers, L.C. Rovati, J.B.M.J. Jansen and R.A. Woutersen (Zeist and Leiden, The Netherlands and Milan, Italy)	45–50
Occurrence of an active form of gelatinase in human gastric and colorectal carcinoma tissues S. Yamagata, Y. Yoshii, J.G. Suh, R. Tanaka and S. Shimizu (Nagoya, Japan)	51–55
Angiogenic factor of a rat mammary tumor cell line (RMT-1) (I). Secretion of two distinct angiogenic factors into serum-free conditioned medium by RMT-1 cells T. Oikawa, K. Hirotani, K. Yamaoka, T. Katayama, T. Iwaguchi, H. Ito, I. Morita, S. Murota, T. Tominaga and A. Hiragun (Tokyo, Japan).....	57–66
Modulation of 4-(methylnitrosamino)-1-(3-pyridyl)-1 butanone demethylation and denitrosation by rat liver microsomes A. Castonguay, P. Pepin and N. Briere (Quebec City, Canada).....	67–74
Increased c-Ki-ras expression in hamster lung exposed to <i>N</i> -nitrosodiethylamine and hyperoxia as detected by the polymerase chain reaction H. Ning, V.I.C. Oreffo, P.H. Gumerlock and H. Witschi (Davis, CA and Beijing, China).....	75–80
Erratum	81
Inhibitory effects of 3-nitro-2,4,6-trihydroxybenzamides on Epstein-Barr virus early antigen induction I. Honda, H. Tokuda, M. Kozuka, K. Yoneyama, H. Nishino, A. Iwashima, M. Shibagaki, M. Noma, N. Takahashi and S. Yoshida (Yokohama, Kyoto and Utsunomiya, Japan)	83–88
Effect of allixin, a phytoalexin produced by garlic, on mutagenesis, DNA-binding and metabolism of aflatoxin B ₁ T. Yamasaki, R.W. Teel and B.H.S. Lau (Loma Linda, CA)	89–94
Enhanced immunoreactivity of ras oncogene p21 protein in urinary bladder epithelium of rats treated with <i>N</i> -[4-(5-nitro-2-furyl)-2-thiazolyl]formamide T. Masui, J.M. Ward and S.M. Cohen (Omaha, NE and Frederick, MD)	95–102
Long-term treatment with hepatic tumor promoters inhibits mitogenic responses of hepatocytes to acidic fibroblast growth factor and hepatocyte growth factor W.-H. Tsai, R. Zarnegar and G.K. Michalopoulos (Durham, NC)	103–108
Effect of oxygenation, pH and hyperthermia on RSU-1069 in vitro and in vivo with radiation in the FSaIIc murine fibrosarcoma B.A. Teicher, T.S. Herman, S.A. Holden and M.B. Rudolph (Boston, MA)	109–117

Contents

Volume 58

Rectal epithelial proliferation in persons post sporadic colorectal neoplasia P. Rozen, Z. Fireman, N. Fine, A. Chetrit and G. Zajicek (Tel Aviv and Jerusalem, Israel)	1–8
Modifying role of <i>Phyllanthus embilica</i> and ascorbic acid against nickel clastogenicity in mice H. Dhir, K. Agarwal, A. Sharma and G. Talukder (Calcutta, India)	9–18
Elevated serum level of glycolipid sulfotransferase in patients with hepatocellular carcinoma S. Gasa, M.-T. Casl, T. Jin, K. Kamio, Y. Uehara, T. Miyazaki and A. Makita (Sapporo, Japan)	19–24
Antitumor effects of vitamin A against Shope carcinoma cells T. Isono and A. Seto (Shiga, Japan)	25–29
A distinct kinase modulates the expression of IFN-inducible genes in human breast cancer cells R.K. Tiwari and M.P. Osborne (New York, NY)	31–36
Identification of genes that exhibit increased expression after flat reversion of NIH/3T3 cells transformed by human activated Ha-ras oncogene L. Müllauer, H. Suzuki, H. Fujita, M. Katabami and N. Kuzumaki (Sapporo, Japan)	37–43
Effects of bombesin on the development of <i>N</i> -nitrosobis(2-oxopropyl)amine-induced pancreatic lesions in hamsters M. Meijers, A. van Garderen-Hoetmer, C.B.H.W. Lamers, L.C. Rovati, J.B.M.J. Jansen and R.A. Woutersen (Zeist and Leiden, The Netherlands and Milan, Italy)	45–50
Occurrence of an active form of gelatinase in human gastric and colorectal carcinoma tissues S. Yamagata, Y. Yoshii, J.G. Suh, R. Tanaka and S. Shimizu (Nagoya, Japan)	51–55
Angiogenic factor of a rat mammary tumor cell line (RMT-1) (I). Secretion of two distinct angiogenic factors into serum-free conditioned medium by RMT-1 cells T. Oikawa, K. Hirotsu, K. Yamaoka, T. Katayama, T. Iwaguchi, H. Ito, I. Morita, S. Murota, T. Tominaga and A. Hiragun (Tokyo, Japan).....	57–66
Modulation of 4-(methylnitrosamino)-1-(3-pyridyl)-1 butanone demethylation and denitrosation by rat liver microsomes A. Castonguay, P. Pepin and N. Briere (Quebec City, Canada).....	67–74
Increased c-Ki-ras expression in hamster lung exposed to <i>N</i> -nitrosodiethylamine and hyperoxia as detected by the polymerase chain reaction H. Ning, V.I.C. Oreffo, P.H. Gumerlock and H. Witschi (Davis, CA and Beijing, China).....	75–80
Erratum	81
Inhibitory effects of 3-nitro-2,4,6-trihydroxybenzamides on Epstein-Barr virus early antigen induction I. Honda, H. Tokuda, M. Kozuka, K. Yoneyama, H. Nishino, A. Iwashima, M. Shibagaki, M. Noma, N. Takahashi and S. Yoshida (Yokohama, Kyoto and Utsunomiya, Japan)	83–88
Effect of allixin, a phytoalexin produced by garlic, on mutagenesis, DNA-binding and metabolism of aflatoxin B ₁ T. Yamasaki, R.W. Teel and B.H.S. Lau (Loma Linda, CA)	89–94
Enhanced immunoreactivity of ras oncogene p21 protein in urinary bladder epithelium of rats treated with <i>N</i> -(4-(5-nitro-2-furyl)-2-thiazolyl]formamide T. Masui, J.M. Ward and S.M. Cohen (Omaha, NE and Frederick, MD)	95–102
Long-term treatment with hepatic tumor promoters inhibits mitogenic responses of hepatocytes to acidic fibroblast growth factor and hepatocyte growth factor W.-H. Tsai, R. Zarnegar and G.K. Michalopoulos (Durham, NC)	103–108
Effect of oxygenation, pH and hyperthermia on RSU-1069 in vitro and in vivo with radiation in the FSaIIc murine fibrosarcoma B.A. Teicher, T.S. Herman, S.A. Holden and M.B. Rudolph (Boston, MA)	109–117

On the tumorigenicity of mitochondrial DNA-depleted avian cells K. Zinkewich-Péotti, M. Parent and R. Morais (Quebec, Canada)	119-124
Preclinical evaluation of a positron emitting progestin ($[^{18}\text{F}]$ fluoro-16 α -methyl-19-norprogesterone) for imaging progesterone receptor positive tumours with positron emission tomography A. Verhagen, G. Luurtsema, J.W. Pesser, T.J. de Groot, S. Wouda, J.W. Oosterhuis and W. Vaalburg (Groningen and Rotterdam, The Netherlands)	125-132
Lectin reactivity of murine fibrosarcoma lines with a different metastatic potential G. Mannori, G. Mugnai and S. Ruggieri (Florence, Italy)	133-138
Activating mutations at codon 61 of the c-Ha-ras gene in thin-tissue sections of tumors induced by aristolochic acid in rats and mice H.H. Schmeiser, H.R. Scherf and M. Wiessler (Heidelberg, F.R.G.)	139-143
Monoclonal antibody CM-H-9 detects circulating placental isoferitin in the serum of patients with visceral metastases of breast cancer H.R. Rosen, D. Flex, M. Stierer and C. Moroz (Vienna, Austria and Petah Tikva, Israel)	145-151
Mass spectrometric identification of a phorbol diester, 12-O-hexadecanoylphorbol-13-acetate, an Epstein- Barr virus-activating substance, in the soil collected from under <i>Sapium sebiferum</i> N. Takeda, H. Ohigashi, N. Hirai, K. Koshimizu, M. Suzuki, A. Tatematsu, T. Osato and F. Mizuno (Nagoya, Kyoto and Sapporo, Japan)	153-158
The inhibitory effect of 4-hydroxyphenyl retinamide (4-HPR) on metastasis of prostate adenocarcinoma- III cells in Lobund-Wistar rats M. Pollard and P.H. Luckert (Notre Dame, IN)	159-163
Comparative metabolism and urinary excretion of <i>N</i> -mononitrosopiperazine and <i>N,N'</i> -dinitrosopiperazine in the rat A.R. Tricker, T. Kälble and R. Preussmann (Heidelberg, F.R.G.)	165-169
Oncogene expression and prognosis in cervical cancer R. Pillai (Tucson, AZ and Trivandrum, India)	171-175
Involvement of lauric acid hydroxylase in the activation of β -substituted nitrosamines T.A. Lawson (Omaha, NE)	177-182
Topical treatment of malignant and premalignant skin lesions by very low concentrations of a standard mix- ture (BEC) of solasodine glycosides B.E. Cham, B. Daunter and R.A. Evans (Queensland, Australia)	183-192
Butylated hydroxytoluene lacks the activity of phenobarbital in enhancing diethylnitrosamine-induced mouse liver carcinogenesis K. Tokumo, M.J. Iatropoulos and G.M. Williams (Valhalla, NY)	193-199
Kupffer cell-mediated oxidative stress on colon cancer cell line visualized by digital imaging fluorescence microscopy I. Kurose, H. Saito, M. Suematsu, D. Fukumura, S. Miura, T. Morizane and M. Tsuchiya (Tokyo, Japan)	201-209
Enhanced expression of low molecular weight keratins during progressive diethylnitrosamine-induced hepatocarcinogenesis in rats is associated with the presence of high levels of γ -glutamyl transpeptidase and glycogen-deficient islands C. Fernandes and K.V.K. Rao (Bombay, India)	211-219
Correlation between bromodeoxyuridine labelling and ornithine decarboxylase levels in normal rectal mucosa of patients with colorectal adenoma G.M. Paganelli, G. Saccoccio, G. Brandi, S. Bellentani, R. Santucci, C. Armocida, M. Ponz de Leon and G. Biasco (Bologna and Modena, Italy)	221-224
Effects of dietary fat on hepatic microsomal metabolism of 1,2-dimethylhydrazine B.C. Pence, S.-Y. Tsai and B.C. Richard (Lubbock, TX)	225-229
Low incidence of Ha-ras oncogene mutations in human epidermal tumors F.-M. Lieu, K. Yamanishi, K. Konishi, S. Kishimoto and H. Yasuno (Kyoto, Japan)	231-235
Ornithine decarboxylase induction in mouse kidney as indicator of renal damage. Differential nephrotoxic effect of anticancer antifolate drugs M. Manteuffel-Cymborowska, W. Chmurzyńska and B. Grzelakowska-Sztabert (Warsaw, Poland)	237-241

Killer cell lines against Shope carcinoma cells in rabbits	
M. Takahashi, I. Yamade and A. Seto (Shiga, Japan)	243 – 249
An enhancement method for immunohistochemical staining of proliferating cell nuclear antigen in archival rodent tissues	
A. Greenwell, J.F. Foley and R.R. Maronpot (Research Triangle Park, NC)	251 – 256
Relationship of the uptake and β -oxidation of 18-carbon fatty acids with stimulation of murine mammary tumor cell growth	
D.K. Buckman and K.L. Erickson (Davis, CA)	257 – 265
Corrigendum	267
Subject Index Volume 59	269 – 272
Author Index Volume 59	273 – 274
Contents Volume 59	275 – 277

